

Technical Data Sheet

Trihexyltetradecylphosphonium bis(2-ethylhexyl)phosphate

Revision Date: 12/22/2011 Date Issued: 3/18/2018

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name Trihexyltetradecylphosphonium

bis(2-ethylhexyl)phosphate

Product code IN-0036

CAS n/a

Supplier loLiTec

Ionic Liquids Technologies GmbH

Salzstrasse 184

D – 74076 Heilbronn

Germany

 Telephone
 +49 (0)7131-89839-0

 Fax
 +49 (0)7131-89839-109

 Emergency telephone
 +49 (0)179-5322578

Email info@iolitec.de

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name Trihexyltetradecylphosphonium

bis(2-ethylhexyl)phosphate

CAS No. n/a

Empirical Formula $C_{48}H_{102}O_4P_2$

(CH₃(CH₂)₃CH(CH₂CH₃)CH₂O₂)₂PO₂

Molecular weight 805.27 g/mol

Purity >98%

Structure

IN-0036 Page: 1/3



Technical Data Sheet

Trihexyltetradecylphosphonium bis(2-ethylhexyl)phosphate

Revision Date: 12/22/2011
Date Issued: 3/18/2018

3 PROPERTIES

Color Yellow to orange

Physical state (25 °C) Liquid

Melting point not available **Glass transition temperature** not available not available **Decomposition temperature** 0.909 g/cm³ Density (23 °C) 1120 mPa * s Viscosity (25 °C) Heat capacity (20 °C) not available Conductivity (30 °C) 0.002 mS/cm **Electrochemical stability window** not available **Anodic limit** not available **Cathodic limit** not available

4 CO-SOLVENT MISCIBILITY

Water not miscible
Acetone miscible
Acetonitrile miscible
Isopropanol miscible
Toluene miscible
Hexane miscible

IN-0036 Page: 2/3



Technical Data Sheet

Trihexyltetradecylphosphonium bis(2-ethylhexyl)phosphate

Revision Date: 12/22/2011

Date Issued: 3/18/2018

5 ORDER INFORMATION

IN-0036-HP can be obtained in the following standard quantities:

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to order@iolitec.de or fax +49 (0)7131 – 89839109.

6 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

IN-0036 Page: 3/3