io·li·tec

Technical Data Sheet

Diethylmethylammonium triflate

Revision Date:	10/13/2015
Date Issued:	10/13/2015

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name	Diethylmethylammonium triflate
Product code	IL-0326
CAS	n/a
Supplier	IoLiTec Ionic Liquids Technologies GmbH Salzstrasse 184 D – 74076 Heilbronn Germany
Telephone	+49 (0)7131-89839-0
Fax	+49 (0)7131-89839-109
Emergency telephone	+49 (0)179-5322578
Email	info@iolitec.de

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name

Diethylmethylammonium

triflate

n/a

Empirical Formula

 $C_6H_{14}F_3NO_3S$

 \bigvee NH⁺ F $\stackrel{F}{\xrightarrow{}} \stackrel{O}{\underset{F}{\overset{.}}} \stackrel{O}{\underset{O}{\overset{.}{\overset{.}}}} - O^{-}$

237.24 g/mol >98%

Structure

CAS No.

Molecular weight Purity

io·li·tec

Technical Data Sheet

Diethylmethylammonium triflate

 Revision Date:
 10/13/2015

 Date Issued:
 10/13/2015

3 PROPERTIES

Color	colorless to yellow
Physical state (25 °C)	liquid
Melting point	not availbale
Glass transition temperature	not available
Decomposition temperature	not available
Density (38 °C)	not available
Viscosity (25 °C)	37.7 cP
Heat capacity (50 °C)	not available
Conductivity (40 °C)	8.10 mS/cm
Electrochemical stability window	not available
Anodic limit	not available
Cathodic limit	not available

4 CO-SOLVENT MISCIBILITY

Water	
Acetone	
Acetonitrile	
Isopropanol	
Toluene	
Hexane	

miscible not available not available not available not miscible not miscible



Technical Data Sheet

Diethylmethylammonium triflate

 Revision Date:
 10/13/2015

 Date Issued:
 10/13/2015

5 ORDER INFORMATION

IL-0326-HP can be obtained in the following standard quantities:

Quantity	Price
25 g	Please enquire
50 g	Please enquire
100 g	Please enquire
250 g	Please enquire
500 g	Please enquire
1 kg	Please enquire
Bulk	Please enquire

Please send your order via email to <u>order@iolitec.de</u> or fax +49 (0)7131 – 89839109.

6 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.