

IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name IOLILYTE LBE-02(45)0-50
Product code IOLILYTE LBE-02(45)0-50

CAS n/a

REACH No. A registration number is not available for this

substance as the substance or its uses are

exempted from registration, the annual tonnage

does not require a registration or the registration is

envisaged for a later registration deadline.

Identified uses Laboratory chemicals, Manufacture of substances

Supplier loLiTec

Ionic Liquids Technologies GmbH

Salzstrasse 184

D - 74076 Heilbronn

Germany

 Telephone
 +49 (0)7131-89839-0

 Fax
 +49 (0)7131-89839-109

 Emergency telephone
 +49 (0)176-84850874

Email msds@iolitec.de

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification (REGULTATION (EC) No 1272/2008)

Skin corrosion (Category 1B), H314

Specific target organ toxicity - repeated exposure (Category 2), H372, H373,

Respiratory system, H335

Flammable liquids (Category 2), H226

LBE-02(45)0-50 Page: 1/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

2.2 Label elements

Pictogram

Labelling (REGULATION (EC) No 1272/2008)

Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapor

H302 Harmful if swallowed

H372 Causes damage to organs through prolonged

or repeated exposure

H373 May cause damage to organs through

prolonged or repeated exposure

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

P260 Do not breathe

dust/fumes/gas/mist/vapours/spray.

P243 Take precautionary measures against static

discharge.

P241 Use explosion-proof electrical/ventilating

equipment

P270 Do not eat, drink or smoke when using this

product.

P264 Wash with water and soap thoroughly after

handling.

P233 Keep container tightly closed.

LBE-02(45)0-50 Page: 2/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

P240 Ground/bond container and receiving

equipment.

P242 Use only non-sparking tools.

P305+351+338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses if

present and easy to do - continue rinsing.

P310 Immediately call a physician.

P303+361+353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/

shower.

P304+340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P370+378 In case of fire: Use powder, foam or CO2 to

extinguish.

P405 Store locked up.

P403+235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents/container to

hazardous/special waste.

Supplemental Hazard Statements none

3 COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Synonyms: 1M LiPF6 in: EC/ DMC 50:50%,

Formula: LiPF6

LBE-02(45)0-50 Page: 3/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

4 FIRST AID MEASURES

General Contaminated clothing should be removed and

washed before being reused.

Inhalation Move the exposed person to fresh air.

Immediately administer a corticosteroid. Get

medical attention.

Ingestion Immediately rinse mouth and drink 200-300 ml

of water. Do not induce vomiting. Get medical

attention immediately.

Skin Wash the skin immediately with soap and

water. Get medical attention.

Eyes Promptly wash eyes with plenty of water while

lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention immediately.

5 FIRE FIGHTING MEASURES

Extinguishing media Use: Carbon dioxides (CO₂). Foam. Dry

chemicals, sand, dolomite etc.

Special fire-fighting procedures Do not use water. Keep away from water.

Forms flammable mixtures with air. Vapors

might accumulate in low area.

Unusual fire & explosion hazards Fire causes formation of toxic gases,

fluorinated compounds, phosphorous oxides.

Protective measures in fire Wear self-contained breathing apparatus as

combustion may produce hazardous fumes.

LBE-02(45)0-50 Page: 4/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

6 ACCIDENTAL RELEASE MEASURES

Personal precautions during spill Wear protective clothing and avoid inhalation of

vapor, skin or eye contact. Avoid all sources of

ignition (heat, sparks, open flame).

Precautions to protect

environment Avoid washing into water courses. Avoid

contaminating public drains or water supply.

Spill clean-up methods Avoid contact with skin or inhalation of spillage,

dust or vapour. Collect with inert absorbent (sand etc.) and reclaim or dispose in sealed containers in license waste. Use spark-proof tools and explosion-proof equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Avoid

contact with water. Neutralize with lime.

7 HANDLING AND STORAGE

Usage precautions Keep away from heat, sparks and open flame..

Storage precautions Store in sealed containers under nitrogen.

Store at moderate temperatures in dry, well ventilated area. Store away from peroxides, flammable solids, toxic materials. Protect from

temperatures over 40 °C.

Storage criteria Chemical storage.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Personal protective equipment

Eye/face protection

LBE-02(45)0-50 Page: 5/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection. tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearancesolution.ColorColorless.

Odor/taste Of the solvent contained in the item.

Melting point -20 °C

Boiling point approx.. 100 °C (solvent boiling point)

Flash point 24 °C

Flammability Flammable

Autoignition 447 °C

Density 1.2895 (20 °C)

1.2489 (55 °C)

10 STABILITY AND REACTIVITY

Stability No particular stability concerns, if stored

properly.

LBE-02(45)0-50 Page: 6/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

Conditions to avoid Avoid contact to water, alcohols, oxidizers and

acids, bases Avoid contact with air. Avoid all

ignition sources.

Hazardous

Decomposition Products High temperatures generate: Corrosive

gases/vapor/fumes of: Carbon dioxide (CO₂). Carbon monoxide (CO). Phosphorous oxides (PxOy). Hydrogen fluoride (HF) and fluorinated

compounds.

11 TOXICOLOGICAL INFORMATION

Ingestion toxic if swallowed.

SkinHighly corrosive. Damages skin.EyesHighly corrosive. Damages skin.

Chronic toxicity Overexposure might cause kidney damage.

Long-term exposure can cause calcification and embrittlement of bones, tooth and increased

calcification in ligament.

The product has not been tested. The statement has been derived from the properties of individual components.

12 ECOLOGICAL INFORMATION

Environmental hazards Avoid washing into water courses. Avoid

contaminating public drains or water supply.

LBE-02(45)0-50 Page: 7/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017

Date Issued: 2/15/2018

13 DISPOSAL CONSIDERATIONS

Disposal method Contact special

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle,

if practical.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 2920 IMDG: 2920 IATA: 2920

14.2 UN proper shipping name

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Lithium hexafluorophosphate,

DIMETHYL CARBONATE)

14.3 Transport hazard class(es)

ADR/RID: 8 (3) IMDG: 8 (3) IATA: 8 (3)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards
IMDG Marine pollutant: no

15 REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

LBE-02(45)0-50 Page: 8/9



IOLILYTE LBE-02(45)0-50

Revision Date: 7/27/2017 Date Issued: 2/15/2018

16 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

LBE-02(45)0-50 Page: 9/9